

CLAIMS

5 1. Apparatus (1; 20; 34) for storing at least one sequence of information (2), said information being formed of a succession of information items (ti, tj) in which an artistic or rational link is considered to exist between at least some pairs of adjacent items in said succession, comprising :

- 10 - input means (11) for receiving said sequence of information (2), and
- storage means (10;32) for storing said information;

characterised in that it further comprises segmentation means (6) for segmenting said sequence of information (2) into individually accessible segments (seg.1-seg.n) each corresponding to a respective information item (ti, tj), in response to segmentation data (4) indicating end limits of said information items;

15 said storage means (10;32) being accessible to output said segments in a sequence corresponding to said succession of information items (ti, tj).

20 2. Apparatus according to claim 1, wherein said received sequence of information is in the form of a data stream (2), said segmentation means (6) being responsive to time information in said segmentation data (4) indicating times of occurrence of said end limits of said information items (ti, tj) for cutting up said stream automatically to extract said segments (seg.1-seg.n) therefrom.

25 *Sub A17* 3. Apparatus according to claim 1 or 2, wherein said segmentation means (6) is adapted to receive segmentation data (4) through a second input (I2) separate from said information (2) to be stored.

30 4. Apparatus according to claim 3, wherein said segmentations means (6) is adapted to extract said segmentation data (4) from a website associated to a source of said sequence of information.

35 *Sub A27* 5. Apparatus according to claim 1 or 2, wherein said segmentation means (6) is adapted to extract said segmentation data (4) from said sequence of information.

Sub A2 7
5 6. Apparatus according to any one of claims 1 to 5, wherein said input means (I1) is adapted to receive said sequence of information (2) in the form audio data, and wherein said segmentation means (6) is operative to form segments (seg.1-seg.n) each corresponding to a music title in said sequence of information.

7. Apparatus according to claim 6, wherein said input means (I1) is adapted to receive said audio data (2) from a radio station sending a sequence of music titles in accordance with a music programme.

10 8. Apparatus according to claim 6, wherein said input means (I1) is adapted to receive said audio data (2) from music compilations selected and entered by a user.

15 9. Apparatus according to claim 8, wherein said music compilation is in the form of a command to download from a server selected music titles in an order corresponding to a selected succession.

Sub A3 7
20 10. Apparatus according to any one of claims 1 to 9, further comprising:
- identification means (26) connectable to a source of identification data identifying information items in said sequence of information (2), said identification means extracting at least some of said identification data to form an identifier (id.1-id.n), and
- combining means (28) for combining with a given segment (seg.i) an identifier (id.i) corresponding thereto,
said storage means (32) further being arranged to store said identifier in
25 association with said segment.

30 11. Apparatus according to claim 10, wherein said identifier (id.1-id.n) includes data indicative of an attribute under which respective groups of said segments (seg.1-seg.n) can be generically identified and classed.

Sub A4 7
12. Apparatus according to claim 6 and 11, wherein said attribute corresponds to at least one type under which a music title can be classed (e.g. Rock, Jazz, Light Classical, ...).

13. Apparatus according to claim 12, wherein said identifier (id.1-id.n) includes artist data indicative of an artist associated with the corresponding music title, and said apparatus further comprises means (74, 76) for deriving at least one said type on the basis of said artist data.

5
Sub A5 7
10 14. Apparatus according to any one of claims 1 to 13, further comprising similarity analysing means (44, 44-1) for producing automatically similarity relations between stored segments (seg.1-seg.n) in terms of their closeness in said sequence of stored segments.

15 15. Apparatus according to claim 14, wherein said similarity analysing means (44, 44-1, 46) produces said similarity relations by producing, for each segment (seg.i) corresponding to an information item considered (ti) in a given stored sequence, a similarity relation graph expressing a distance $D(t_i, t_j)$ between that information item and other stored information items.

20 16. Apparatus according to claim 15, wherein said similarity relation graph contains, for each said other information item (tj), a closeness value determined between pairs formed by said information item considered (ti) and said other information item (tj).

25 Sub A6 7
17. Apparatus according to any one of claims 14 to 16, wherein said analysing means (44, 44-1) is arranged to calculate said closeness value for said information item considered (ti) by attributing a first closeness value each time said other information item (tj) appears just before or just after in said sequence, said first values being cumulated over said sequence to yield a cumulated value indicating the closeness of said pair of information items (ti, tj).

30 18. Apparatus according to claim 17, wherein said analysing means (44, 44-1) is further arranged to attribute a second closeness value, smaller than said first closeness value, each time said other information item (tj) is separated from said information considered (ti) by m separating information items, where m is an upper bounded number,

35 said first and second values being cumulated over said sequence to yield a cumulated value indicating the closeness said pair of information items (ti, tj).

19. Apparatus according to claim 18, wherein said number m of separating information items is equal to one.

⁵ Sub A7 20. Apparatus according to any one of claims 1 to 19, wherein said apparatus further comprises music programme generating means (48, 50) for building a sequence of information items from said stored segments (seg.1-seg.n).

10 21. Apparatus according to claim 20, wherein said programme generating apparatus (48, 50) is operative to build said sequence of information items in response to user tastes expressed through user inputs (54, 56, 58).

15 22. Apparatus according to claim 20 or 21, wherein said programme generating apparatus (48, 50) is operative to build said sequence of information items in response to said similarity relations according to any one of claims 14 to 19, in which information items are concatenated taking their closeness into account.

20 23. Apparatus according to claim 21, wherein said programme generating means (48, 50) is responsive to a user input (56) expressing a like or dislike, associated to at least some information items in said succession of information items, to create a sequence of information items in which said disliked information items tend to be removed and liked information items are emphasised.

25 24. Apparatus according to claims 22 and 23, wherein said programme generating means (48, 50) is further responsive to said similarity relations to create a sequence of information items in which information items close to disliked information items are de-emphasised and/or in which information items close to liked information items are emphasised.

30 25. Apparatus according to any one of claims 20 to 24, wherein said programme generating means (48, 50) is responsive to a selected attribute (e.g. type of music) of said information items, according to any one of claims 11 or 12, said selected attribute being entered through a corresponding user input (54), to create a sequence of information items containing at least a preponderance of information
35 items falling under said selected attribute.

26. Apparatus according to claim 25, wherein said programme generating means (48, 50) is arranged to create a sequence of information items taking into account said selected attributes associated to said information items, and wherein said programme generating means is further responsive to a discovery parameter entered through a user input (58) expressing a degree of accepted departure from said at least a preponderance of information items falling under said selected attribute, whereby said discovery parameter can be set to a first value in which said preponderance is maximal, possibly total, and to a second value, in which said sequence also contains a certain proportion P of information items not falling under said selected attribute.

27. Apparatus according to claim 26, wherein said proportion P can take on a range of values through said corresponding user input (58).

28. Apparatus according to claim 26 or 27, wherein said programme generating means (48, 50) is further responsive to said similarity relation relations according to any one of claims 14 to 19, such that a said information item not falling under a said selected attribute (e.g. type of music) is entered in said created sequence if and where it has a predetermined degree of closeness, as determined by said similarity relations, with an adjacent information item of said sequence.

29. Apparatus according to any one claims 20 to 28, wherein said programme generating means (48, 50) comprises means for labelling and storing said created sequences as objects which can be selectively exported outside said apparatus.

30. Apparatus according to any one claims 1 to 29, further comprising means for importing said created sequences.

31. Apparatus according to any one of claims 1 to 30 connected to playback means for receiving said segments of a selected created sequence and expressing the data contained therein in a form intelligible to a user (e.g. music, images, etc.).

32. Use of the apparatus according to any one of claims 1 to 31 for producing at least one taste, said taste being a user taste comprised of a sequence of information

items produced by taking account feedback from said user, or a generic taste comprised of a sequence.

33. Method of storing at least one sequence of information (2), said information being formed of a succession of information items (ti, tj) in which an artistic or rational link is considered to exist between at least some pairs of adjacent items in said succession, comprising the steps of:

- receiving (I1) said sequence of information (2), and
- storing said information (10;32);

characterised in that it further comprises the steps of segmenting (6) said sequence of information (2) into individually accessible segments (seg.1-seg.n) each corresponding to a respective information item (ti, tj), in response to segmentation data (4) indicating end limits of said information items;

said stored segments being accessible for outputting said segments in a sequence corresponding to said succession of information items (ti, tj).

34. Method according to claim 33, wherein said received sequence of information is in the form of a data stream (2), said segmentation (6) being performed in response to time information in said segmentation data (4) indicating times of occurrence of said end limits of said information items (ti, tj) for cutting up said stream automatically to extract said segments (seg.1-seg.n) therefrom.

35. Method according to claim 3, wherein said segmentation data (4) is extracted from a website associated to a source of said sequence of information (2).

36. Method according to claim 33 or 34, wherein said segmentation data (4) is extracted from said sequence of information.

37. Method according to any one of claims 33 to 36, wherein said sequence of information (2) is received in the form audio data, and wherein said segmentation (6) serves to form segments (seg.1-seg.n) each corresponding to a music title in said sequence of information.

10
15
20
25

Sub A11
25

38. Method according to claim 37, wherein said audio data (2) is received from a radio station sending a sequence of music titles in accordance with a music programme.

5 Sub A12 7 39. Method according to any one of claims 33 to 38, further comprising the steps of:

- identifying (26) from a source of identification data identifying information items in said sequence of information (2), said identification step extracting at least some of said identification data to form an identifier (id.1-id.n), and
- 10 - combining (28) for with a given segment (seg.i) an identifier (id.i) corresponding thereto,
said identifier being stored (32) in association with said segment.

15 40. Method according to claim 39, wherein said identifier (id.1-id.n) includes data indicative of an attribute under which respective groups of said segments (seg.1-seg.n) can be generically identified and classed.

20 Sub A13 7 41. Method according to claim 37 and 40, wherein said attribute corresponds to at least one type under which a music title can be classed (e.g. Rock, Jazz, Light Classical, ...).

25 42. Method according to claim 41, wherein said identifier (id.1-id.n) includes artist data indicative of an artist associated with the corresponding music title, and said method further comprises deriving (74, 76) at least one said type on the basis of said artist data.

30 Sub A14 7 43. Method according to any one of claims 33 to 42, further comprising the steps (44, 44-1) of producing automatically similarity relations between stored segments (seg.1-seg.n) in terms of their closeness in said sequence of stored segments.

35 44. Method according to claim 43, wherein said similarity analysing step (44, 44-1, 46) produces said similarity relations by producing, for each segment (seg.i) corresponding to an information item considered (ti) in a given stored sequence, a similarity relation graph expressing a distance D (ti, tj) between that information item and other stored information items.

45. Method according to claim 44, wherein said similarity relation graph contains, for each said other information item (tj), a closeness value determined between pairs formed by said information item considered (ti) and said other information item (tj).

Sub A15 7
46. Apparatus according to any one of claims 43 to 45, wherein said analysing step (44, 44-1) involves calculating said closeness value for said information item considered (ti) by attributing a first closeness value each time said other information item (tj) appears just before or just after in said sequence,

said first values being cumulated over said sequence to yield a cumulated value indicating the closeness of said pair of information items (ti, tj).

47. Apparatus according to claim 46, wherein said analysing step (44, 44-1) is further carried out to attribute a second closeness value, smaller than said first closeness value, each time said other information item (tj) is separated from said information considered (ti) by m separating information items, where m is an upper bounded number,

said first and second values being cumulated over said sequence to yield a cumulated value indicating the closeness said pair of information items (ti, tj).

Sub A16 7
48. Method according to any one of claims 33 to 47, further comprising the step of generating (48, 50) music programme generating by building a sequence of information items from said stored segments (seg.1-seg.n).

49. Method according to claim 48, wherein said programme generating step (48, 50) is involves building said sequence of information items in response to user tastes expressed through user inputs (54, 56, 58).

Sub A17 7
50. Method according to claim 48 or 49, wherein said programme generating step (48, 50) involves building said sequence of information items in response to said similarity relations according to any one of claims 43 to 47, in which information items are concatenated taking their closeness into account.

51. Method according to claim 49, wherein said programme generating step (48, 50) is carried out taking into account a user input (56) expressing a like or dislike, associated to at least some information items in said succession of information items, to create a sequence of information items in which said disliked information items tend to be removed and liked information items are emphasised.

Sub A18
52. Method according to claim 50 or 51, wherein said programme generating means (48, 50) is further carried out taking into account said similarity relations to create a sequence of information items in which information items close to disliked information items are de-emphasised and/or in which information items close to liked information items are emphasised.

53. Method according to any one of claims 49 to 52, wherein said programme generating step (48, 50) is carried out to take account of a selected attribute (e.g. type of music) of said information items, according to claim 41 or 42, said selected attribute being entered through a corresponding user input (54), to create a sequence of information items containing at least a preponderance of information items falling under said selected attribute.

54. Method according to claim 53, wherein said programme generating step (48, 50) is carried out to create a sequence of information items taking into account said selected attributes associated to said information items, and wherein said programme generating step is further carried out to take into account a discovery parameter entered through a user input (58) expressing a degree of accepted departure from said at least a preponderance of information items falling under said selected attribute, whereby said discovery parameter can be set to a first value in which said preponderance is maximal, possibly total, and to a second value, in which said sequence also contains a certain proportion P of information items not falling under said selected attribute.

Sub A19
55. Method according to claim 54, wherein said programme generating step (48, 50) is further carried out taking into account said similarity relation relations according to any one of claims 43 to 47, such that a said information item not falling under a said selected attribute (e.g. type of music) is entered in said created sequence

Sub A19
if and where it has a predetermined degree of closeness, as determined by said similarity relations, with an adjacent information item of said sequence.

5 56. Method according to any one claims 49 to 55, wherein said programme generating step (48, 50) involves labelling and storing said created sequences as objects which can be selectively exported.

10 57. Method according to any one claims 33 to 56, further comprising the step of importing said created sequences.

11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000